Shu Powders Africa PTY. LTD Logra Industrial Park, No.40 Track 94040, Harrison Flats Old Main Road, Cato Ridge, KwaZulu Natal 3680 South Africa Postnet Suite 10015, Private Bag X7005, Hillcrest, 3650

Vat No: 4150236521 CK No: 2007/000865/07

### **Extra Fine Cobalt Powder**

### SAFETY DATA SHEET

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1 Product identifier

Product Name Extra Fine Cobalt Powder.

Product Code EF
Chemical Name Cobalt.
Chemical Family Metal.
Chemical Formula Co.

Synonym(s) Cobalt metal Powder.

CAS No. 7440-48-4. EINECS No. 231-158-0.

REACH Registration No. 01-2119517392-44-0012

1.2 Relevant identified uses of the substance or mixture and uses

advised against

Identified use(s) See Section: 7.3.
Uses advised against None known.

1.3 Details of the supplier of the Safety

**Data Sheet** 

Company Identification Shu Powders Africa (Pty)Ltd

Logra Industrial Park

40 Track 94040 Harrison Flats Old Main Road Cato Ridge

Kwa-Zulu Natal

3680

South Africa

Telephone +27 (0)31 782 1061

E-Mail <u>sheq.queries@shusa.co.za</u>

1.4 Emergency telephone number

Emergency Phone No. (24/7/365)

Chem Tel - United States, Canada, 1-800-255-3924

Puerto Rico, US Virgin Islands

Chem Tel – International Access +01-813-248-0585

Page 1 of 12

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

#### 2.1.1

Regulation (EC) No. 1272/2008 (CLP) Respiratory Sensitisation Category 1B H334; May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

Skin Sensitisation Category 1 H317; May cause

an allergic skin reaction.

Eye irritant Category 2 H319; Causes serious eye

irritation

Reproductive toxicity Category 2 H361f: Suspected of damaging fertility. Specific effect:

Fertility impairment in males.

Aquatic Acute Category1 H400; Very toxic to

aquatic life.

Aquatic Chronic Category 1 H410; Very toxic to

aquatic life with long lasting effects. Flammable Solid Category 1 H228

### 2.1.2 Directive 67/548/EEC & Directive 1999/45/EC

Xn R42/43; May cause sensitization by inhalation and skin contact.

Xi R36: Irritating to eves.

Repr. Cat 3 R62; Possible risk of impaired fertility. N R50/53; Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

F; R11 Flammable Solid

#### 2.2 Label elements

**Product Name** Hazard Pictogram Extra Fine Cobalt Powder.



Danger.





**GHS 08 GHS 09 GHS 02** 

Signal word(s)

Hazard statement(s)

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H334: May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

H361f: Suspected of damaging fertility.

H410: Very toxic to aquatic life with long lasting

effects.

H228: Flammable Solid

Precautionary statement(s)

P210: Keep away from heat/sparks/open

flames/hot surfaces/no smoking. P261: Avoid breathing dust.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective

clothing/eye protection/face protection.

P285: In case of inadequate ventilation wear

respiratory protection.

Revision Date: 02 October 2013 Former Date: 15 March 2013 Rev. 4

Page 2 of 12

P501: Dispose of contents/container to an approved waste disposal plant.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P264: Wash hands thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P363: Wash contaminated clothing before reuse.

P391: Collect spillage. P405: Store locked up

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P304 + P341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue Rinsing.

P308 + P313: IF exposed or concerned: Get medical attention or advice.

P333 + P313: If skin irritation or rash occurs: Get medical advice/attention.

P342 + P311: If experiencing respiratory symptoms: Call poison center doctor/physician.

P342 + P311: If experiencing respiratory symptoms: Call a POISON CENTRE doctor/physician.

Not classified as PBT or vPvB.

For full text of H/P statements and R/S phrases see section 16.

#### Other hazards 2.4 **Additional Information**

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Substances**

2.3

#### EC Classification No. 1272/2008

Hazardous	%W/W	EINECS No.	REACH Registration No.	GHS classification	EC Classification and R
ingredient(s)					Phrases
Cobalt 7440-48-4	>99.9	231-158-0	01-2119517392-44-0012	Resp. Sens. 1B;H334, Eye Irr.2; H319 Skin Sens. 1; H317, Repr.2; H361f Aquatic Acute 1;H400, Aquatic Chronic 1; H410. Flammable solid 1; H228 M-factor: 10.	F; R11, Repr. Cat 3; R62,Xi;R36 Xn R42/43,N;R50/53.

Revision Date: 02 October 2013 Former Date: 15 March 2013 Rev. 4 Page 3 of 12

#### **SECTION 4: FIRST AID MEASURES**

4.1 Description of first aid measures

Inhalation IF INHALED: If breathing is difficult, remove

victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing

respiratory symptoms: Call a POISON CENTRE

or doctor/physician.

Skin Contact IF ON SKIN: Wash with plenty of soap and

water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical

advice/attention.

Eye Contact Hold eyelids apart and flush eyes with plenty of

water for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion If swallowed, rinse mouth with water (only if the

person is conscious). If symptoms persist, obtain

medical attention.

4.2 Most important symptoms and effects,

both acute and delayed

Inhalation: Cough, Sore throat, Wheezing,

Increased difficulty in breathing.
Ingestion: Abdominal pain, Vomiting.

Eye Contact: Redness.

4.3 Indication of immediate medical attention and special treatment

needed

No special requirements.

### **SECTION 5: FIRE-FIGHTING MEASURES**

5.1 Extinguishing Media

Suitable Extinguishing Media As appropriate for surrounding fire. Extinguish

with dry chemical, carbon dioxide.

Unsuitable Extinguishing Media

5.2 Special hazards arising from the

substance or mixture

In the event of a fire the following can be

released: Cobalt oxide dust. Acrid Smoke. Metal

Fumes.

**5.3** Advice for fire-fighters Fire fighters should wear complete protective

clothing including self-contained breathing apparatus. Dike fire control water for later disposal. Do not allow to enter drains, sewers or

watercourses.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective

equipment and emergency

procedures

Ensure adequate ventilation. Avoid breathing dust. Wear appropriate personal protective

equipment, avoid direct contact.

**6.2 Environmental precautions** Spillages or uncontrolled discharges into

watercourses must be alerted to the appropriate

regulatory body.

6.3 Methods and material for containment

and cleaning up

Sweep spilled substances into containers if appropriate moisten first to prevent dusting. Use

vacuum equipment for collecting spilt materials, where practicable. Collect spillage. Transfer to a

lidded container for disposal or recovery.

**Reference to other sections** For handling advice see section 7. For personal

Revision Date: 02 October 2013 Former Date: 15 March 2013 Rev. 4

Page 4 of 12

protection see section 8. For waste disposal see section 13.

### **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling

Provide adequate ventilation. Avoid breathing dust. Keep away from fire, sparks and heated surfaces. Contaminated work clothing should not be allowed out of the workplace. In case of inadequate ventilation wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection. See Section: 8.

7.2 Conditions for safe storage, including any incompatibilities

Storage Temperature Storage Life Incompatible materials

7.3 Specific end use(s)

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat. Ambient.

Stable under normal conditions. Acids, Strong oxidising agents.

- Manufacture of cobalt
- Use of cobalt in the manufacture of inorganic cobalt substances
- Use of cobalt in the manufacture of cobalt carboxylates and resinates
- Manufacture of cobalt in the catalyst industry
- Industrial use of cobalt as catalyst
- Manufacture and industrial use of cobalt containing alloys, steels and tools
- Industrial use of cobalt in surface treatment processes
- Manufacture and industrial use of batteries using cobalt
- Industrial use of cobalt in the manufacture of inorganic pigments & frits, glass, ceramic ware, varistors and magnets (calcination/sintering processes)
- Manufacture and industrial use of coatings and inks using cobalt as drier and/or pigment
- Industrial use of cobalt in the production of diamond tools
- Welding in industrial and/or professional settings
- Professional use of dental alloys containing cobalt
- Professional use of diamond tools and other cobalt-containing tools
- Production of hardmetal powder
- Production of sintered hardmetal-containing articles
- Waste stage: Recycling of hardmetalcontaining scrap materials

•

Revision Date: 02 October 2013 Former Date: 15 March 2013 Rev. 4
Page 5 of 12

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

## 8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Cobalt	7440- 48-4	-	0.1	-	-	WEL, OEL (United Kingdom)
	40-4	_	0.05	_	_	Co, HTP 2009 Finland
		-	0.1	-	-	OSHA, USA
		-	0.05	-	-	NIOSH, USA
		-	0.02	-	-	TLV (ACGIH), USA
		-	0.05	-	-	NOHSC, Australia
		-	0.1	-	-	Minister of Labour,
						South Africa
		-	0.02	-	-	SER, Netherlands

# 8.1.2 Biological limit value

Not established.

### 8.1.3 PNECs and DNELs

DNEL	Oral	Inhalation	Dermal
Industry - Long Term – Local effects	-	40 μg/m³	-
Industry - Long Term - Systemic effects	-	-	-
Industry - Short term - Local effects	-	-	-
Industry - Short term - Systemic effects	-	-	-
Consumer - Long Term - Local effects	-	6.3 µg/m³	-
Consumer - Long Term - Systemic effects	9.5 μg/kg bw/day	-	-
Consumer - Short term - Local effects	-	-	-
Consumer - Short term - Systemic effects	•	-	-

	Predicted No effect Concentration (PNEC)
Aquatic Compartment	0.51µg/l (Fresh water).
Marine Compartment	2.36 μg Co/L
Aquatic Compartment - sediment	11.2 mg Co/kg sediment dry wt
Aquatic Compartment – sediment, Added	9.5 mg Co/kg sediment dry wt
Risk Approach	
Marine Compartment - sediment	9.5 mg Co/kg sediment dry wt
Terrestrial Compartment	7.9 mg/kg Soil dw.
Sewage Treatment Plant -	0.373 mg Co/L
microorganisms	
Atmospheric Compartment	-

Page 6 of 12

8.2 Exposure controls

**8.2.1 Appropriate engineering controls** Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear eye protection with side protection

(EN166).

Skin protection (Hand protection/ Other) Wear protective clothing and gloves: Butyl

rubber, Neoprene, PVC.

Respiratory protection A suitable dust mask or dust respirator with filter

type P (EN143 or EN405) may be appropriate.

Thermal hazards Not applicable.

**8.2.3 Environmental Exposure Controls** Avoid release to the environment.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

**Appearance** Powder. Colour Silver-Grey. Odour Odourless. Odour Threshold (ppm) Not established. Not applicable. pH (Value) Melting Point (°C) 1494°C @1013hPa. 2927°C @1013hPa. Boiling point/boiling range (°C): Flash Point (°C) Not applicable. Evaporation rate Not applicable. Flammability (solid) Flammable Solid. Explosive limit ranges. Not available. Vapour Pressure (mm Hg) Not applicable. Vapour Density (Air=1) Not applicable. 8.89 @ 20°C. Relative Density Solubility (Water) 2.94mg/l @ 20°C. Solubility (Other) Not available. Partition Coefficient (n-Octanol/water) Not available. Auto Ignition Temperature (°C) Not applicable. Decomposition Temperature (°C) Not available. Viscosity (mPa.s) Not applicable. Explosive properties Not applicable. Oxidising properties Not oxidising.

**9.2 Other information** None.

### **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity
 10.2 Chemical stability
 10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Stable under normal conditions.
 Stable under normal conditions.
 Heat and dust generation.
 Acids, Strong oxidising agents.

10.6 Hazardous Decomposition Product(s) Cobalt oxide dust, Acrid smoke, Metal fumes.

Page 7 of 12

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1 Information on toxicological effects

**Acute toxicity** 

Ingestion LD50(rat) = 7510mg/kg. Low oral toxicity. Main

Symptoms: Abdominal pain, Vomiting.

Inhalation Low acute toxicity. Main Symptoms: Cough,

Sore throat, Wheezing, Increased difficulty in

breathing.

Skin Contact LD50(Dermal) >2000mg/kg. Low acute toxicity. Eye Contact Low acute toxicity. Main Symptoms: Redness.

Skin corrosion/irritation Not classified. OECD TG 439:95.1% (Non

Irritant)

Serious eye damage/irritation Eye Irrit. 2; causes serious eye irritation OECD

TG 437:1.79 (Irritation)

Respiratory or skin sensitization Resp. Sens. 1B; May cause allergy or asthma

symptoms or breathing difficulties if inhaled. Skin Sens. 1; May cause an allergic skin

reaction.

Mutagenicity There is no evidence of mutagenic potential.

**Carcinogenicity** No evidence of carcinogenicity.

**Reproductive toxicity** Repr. 2; Suspected of damaging fertility.

Specific effect: fertility impairment in males.

STOT - single exposure

STOT - repeated exposure

Aspiration hazard

None anticipated.

None anticipated.

**11.2 Other information** None.

### **SECTION 12: ECOLOGICAL INFORMATION**

**12.1 Toxicity** Aquatic Acute 1; Very toxic to aquatic life.

Aquatic Chronic 1; Very toxic to aquatic life with

long lasting effects.

By analogy with similar materials: Cobalt

dichloride.

Fish: LC50 =  $1.5 \mu g/I$  (Fresh water)

Aquatic invertebrates: LC50 = 0.61 mg/l (Fresh

water); 2.32 mg/l (Sea water)

EC10 (Fresh water Fish) = 351.4 mg/l.

NOEC Aquatic invertebrates: = 5.47 μg/l (Fresh

water); 206 µg/l (Sea water)

Algae: LC50 = 144  $\mu$ g/l (Fresh water) ; 24.1  $\mu$ g/l

(Sea water)

NOEC Algae =  $4.9 \,\mu g/l$  (Fresh water);  $1.23 \,\mu g/l$ 

(Sea water).

**12.2** Persistence and degradability The methods for determining the biological

degradability are not applicable to inorganic

substances.

**12.3** Bioaccumulative potential Aquatic plants: Bioconcentration factor (BCF):

>100 - 5000.

Aquatic invertebrates: BCF <300. Fresh water, Fish: BCF/ BAF <10. Marine, Fish: BCF/ BAF <10. The substance has low potential for

bioaccumulation.

Revision Date: 02 October 2013 Former Date: 15 March 2013 Rev. 4

Page 8 of 12

**12.4 Mobility in soil** The substance is essentially insoluble in water.

12.5 Results of PBT and vPvB assessment Not applicable.12.6 Other adverse effects None anticipated.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods** Recover or recycle if possible. Dispose of

contents/container to: Licensed recycler.

Dispose of contents in accordance with local,

state or national legislation.

**13.2** Additional Information No information available.

### **SECTION 14: TRANSPORT INFORMATION**

	Land Transport	Sea Transport	Air Transport
14.1 UN - Number	3089	3089	3089
14.2 UN proper shipping name	Metal Powder,	Metal Powder,	Metal Powder,
	flammable, n.o.s.	flammable, n.o.s.	flammable, n.o.s.
14.3 Transport Hazard Classes	4.1	4.1	4.1
14.4 Packing Group	III	III	III
14.5 Environmental hazards	Environmentally	Marine Pollutant	Environmentally
	hazardous		hazardous
14.6 Special Precautions for	None	Ems (fire): F-G	None.
users		Ems (spill):S-G	
14.7 Transport in bulk in	Not applicable.	Not applicable	Not applicable
according to Annex II of			
MARPOL 73/78 and IBC Code			

### SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture substance or mixture

#### 15.1.1 EU regulations

Authorisations and/or restrictions on use None known. Candidate List of Substances of Very Not Listed.

high concern for authorisation

REACH: Annex XIV List of substances Not Listed

subject to authorisation

REACH: Annex XVII Restrictions on the Not Listed.

manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles

Community Rolling Action Plan Not Listed. (CoRAP); Draft 29/02/2012

15.1.2 National regulations None known.15.2 Chemical Safety Assessment Available.

TSCA Status All components of this product are in the US

TSCA inventory.

TSCA 12(b) Export Notification No components of this product are subject to

TSCA 12(b) export notification requirements.

Revision Date: 02 October 2013 Former Date: 15 March 2013 Rev. 4

Page 9 of 12

California Proposition 65 This material may contain the following

chemicals known to the State of California to cause cancer or birth defects and are subject to the requirements of California Proposition 65: Cobalt Metal Powder (7440 – 48 -4) –

Cancer

Clean Air Act S112 Extremely Hazardous Air pollutants

Cobalt compounds

**SARA 302 Extremely Hazardous** 

substance list

This product does not contain greater than 1.0% of any chemical substance on the SARA

Extremely Hazardous Substance List.

SARA (311, 312) Hazard Class Chronic Health Hazard

SARA Section 313 Toxic Chemicals Cobalt Compounds 100 %

**Australian Inventory Chemical** 

**Substances** 

All components are listed on the Australian Core Inventory of chemical Substances

(ACOIN).

Canadian Inventory All Components are on the Domestic

Substance List (DSL).

EINECS Regulations All components are on the European Inventory

of Existing and New Chemical Substances

(EINECS).

**Japan** All components are listed on the Japanese

Existing and New Chemical Substances

(ENCS).

Korean Chemical Inventory

All components are on the Korean List of

Existing Chemical substances.

Philippine Inventory All components are listed on the Philippines

Inventory of Chemical and Chemical

Substances (PICCS).

Chinese Inventory All Components are listed on the Chinese

Inventory of Existing Chemical Substances.

Revision Date: 02 October 2013 Former Date: 15 March 2013 Rev. 4

Page 10 of 12

### **SECTION 16: OTHER INFORMATION**

**LEGEND** 

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity

DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT PBT: Persistent, Bioaccumulative and Toxic vPvB very Persistent and very Bioaccumulative WEL Workplace Exposure Limit (UK HSE EH40)

OEL Occupational Exposure Limits

OSHA Occupational Safety and Health Administration
NIOSH National Institute of Occupational Safety and Health

TLV (ACGIH) Threshold Limit Value (American Conference of Industrial Hygienists)

NOHSC

National Occupational Health and Safety Commission

SER

The Social and Economic Council of the Netherlands

NOEC No Observable Effect Concentration

BAF Bioaccumulation Factor
BCF Bioconcentration Factor

OECD TG Organisation for Economic Co-operation and Development Test

Guideline

Eye Irrit. 2 Serious eye damage/irritation Category 2
Resp. Sens. 1B respiratory or skin sensitization Category 1B
Skin Sens. 1 respiratory or skin sensitization Category 1

Aquatic Acute 1 Hazardous to the aquatic environment Acute Category 1
Aquatic Chronic 1 Hazardous to the aquatic environment Chronic Category 1

Xi Irritant
Xn Harmful

N Hazardous to the aquatic environment Repr. Cat 3 Reproductive toxicity category 3

**Risk Phrases** 

R42/43 May cause sensitization by inhalation and skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects

in the aquatic environment.

R36 Irritating to eyes.

R62 Possible risk of impaired fertility.

Hazard statement(s)

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H228 Flammable solid

H319 Causes serious eye irritation
H361f Suspected of damaging fertility.

Page 11 of 12

Hazard pictogram(s)

GHS08



**GHS 02** 



### Sources of Key data used to compile the Data Sheet:

Chemical Safety Report

### Disclaimer of expressed and implied Warranties

The information in this document is believed to be correct as of the data issued. However, no warranty of merchantability, fitness for any particular purpose, of any other warranty is expressed or is to be implied regarding the accuracy or completeness of this information, the results to be obtained from the use of this information or the product, the safety of this product, or the hazards related to its use. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assumes the risk of his use thereof.

GHS09

Revision Date: 02 October 2013 Former Date: 15 March 2013 Rev. 4

Page 12 of 12